SECTION 1 MATERIAL NAME / IDENTIFIER

Cold Tub Oxidizer WHMIS: D2B

Manufacturer's Name: CAPO INDUSTRIES LTD
Street Address: 1200 CORPORATE DRIVE
City: BURLINGTON, ONTARIO

Postal Code: L7L 5R6

Emergency Telephone: Canutec (613) 996-6666 (Collect)

Chemical Name: Not applicable
Chemical Family: Not applicable

Chemical Formula: Mixture

Trade Name & Synonyms: Not applicable

Molecular Weight: Not applicable

Material Use: Spa water treatment chemical

# SECTION 2 HAZARDS IDENTIFICATION

GHS classification: H315 Skin corrosion/irritation, Category 2

H319 Serious eye damage/eye irritation, Category 2A

H335 Specific target organ toxicity, Single exposure, Respiratory tract irritation

**Label Elements** 

#### Symbol(s)



Signal Word Warning

**Hazard statements** Causes skin and serious eye irritation.

**Precautionary statements** Avoid skin and eye contact. Wear gloves and safety glasses when handling.

Wash hands thoroughly after use. If contact with eyes, flush with copious amounts of water for 15 minutes. Avoid breathing in dusts/fumes/vapours. If

inhaled, remove person to fresh air and seek medical attention.

### SECTION 3 COMPOSITION, INFORMATION ON INGREDIENTS

Ingredient CAS# % Concentration

Pentapotassium Bis(Peroxymonosulphate)

Bis(Sulphate) 70693-62-8 60 – 100

Dipotassium Peroxodisulphate 7727-21-1 0-5

Sodium Carbonate 497-19-8 10 – 30

SECTION 4 FIRST AID MEASURES

**Inhalation:** Remove person to fresh air. If difficulty breathing, give artificial respiration and seek medical

attention.

**Skin Contact:** Wash thoroughly with soap and water.

**Eye Contact:** Flush eyes with copious amounts of water and seek medical attention.

**Ingestion:** Drink 2 or 3 glasses of water or milk to dilute material. Do not induce vomiting. Contact a physician.

Note to physicians None

SECTION 5 FIRE – FIGHTING MEASURES

**Hazardous Combustion Products:** At elevated temperatures of 100°C may liberate oxides of sulphur and carbon.

Unusual Fire or Explosion Hazards: None known

Sensitivity to Mechanical Impact: None

Rate of Burning: Not applicable Explosive Power: Not applicable

Sensitivity to Static Discharge: None

**Fire Extinguishing Media:** Use media suitable for extinguishing surrounding fire.

Instructions to the Fire Fighters: See below

Fire Fighting Protective Equipment: Wear full protective clothing and a self-contained breathing apparatus.

SECTION 6 ACCIDENTAL RELEASE MEASURES

**Leak And Spill Procedure:** Prevent material from entering drains, sewers, and waterways. Sweep up and place

metal waste containers for disposal.

# SECTION 7 HANDLING AND STORAGE

**HANDLING** 

Handling Practices: Avoid contact with skin and eyes. Avoid breathing in dust. Wear gloves and safety glasses

when handling. Wash hands thoroughly after use.

Ventilation Requirements: Use in a well ventilated area.

**STORAGE** 

**Ventilation Requirements:** Store in a cool, dry area.

Storage Requirements: Do not mix directly with other chemicals. Keep containers tightly closed when not in use.

## SECTION 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **ENGINEERING CONTROLS**

**Engineering Controls:** General exhaust ventilation to keep airborne contaminants below exposure limits.

#### PERSONAL PROTECTIVE EQUIPMENT

Skin (Specify): Latex or rubber gloves if skin contact is likely.

Eye (Specify): Safety glasses/goggles if eye contact is likely.

**Respiratory (Specify):** Wear air-purifying respirator with dust/mist cartridge if in a non-ventilated area.

Other (Specify): Impervious clothing if contact is likely. Eye wash and shower stations are close to work

area.

## SECTION 9 PHYSICAL DATA FOR MATERIAL

Physical State: Gas Liquid Solid X

Odour & Appearance: Opaque, white granular, odourless

Odour Threshold (ppm): Not applicable

Flammability: Yes No X

If Yes, Under Which Conditions?:

Auto Ignition Temperature (Celsius): Not applicable
Upper Explosion Limit (% By Volume): Not applicable
Lower Explosion Limit (% By Volume): Not applicable
Decomposition Temp (°C) Not available
Specific Gravity: Not available
Viscosity: Not applicable
Vapour Pressure (mm): Not applicable
Vapour Density (Air-1): Not applicable

Flashpoint (°C)

Evaporation Rate

Boiling Point (°C):

Not applicable

Not available

Not available

Solubility In Water (20°C): Soluble

% Volatile (By Weight) Not applicable

**PH:** 6.5 – 7.5 (1% solution)

Coefficient Of Water/Oil Distribution: Not available

## SECTION 10 STABILITY AND REACTIVITY

Chemical Stability: Yes X No

If No, Under Which Conditions?:

Incompatibility To Other Substances: Yes  $\underline{X}$  No

If So, Which Ones: Heavy metal salts, halogenated compounds, cyanides, aluminum, and sulfamic

acid.

**Conditions to Avoid:** Avoid extreme heat.

**Hazardous Decomposition Products:** Oxides of sulphur and carbon.

# SECTION 11 TOXICOLOGICAL INFORMATION

#### **ACUTE HEALTH EFFECTS**

Inhalation:Dust may cause irritation to respiratory tract.Skin Contact:Prolonged skin contact will cause irritation.Eye Contact:Eye contact will cause irritation or burns.

**Ingestion:** Severe gastrointestinal irritation, nausea, vomiting and diarrhea.

**CHRONIC HEALTH EFFECTS:** None known **Other Health Effects:** None known

LD 50 of Material (Specify Species and Routes): Pentopotassium Bis(Peroxymonosulphate)Bis(Sulphate) 500 mg/kg,

Oral (Rat), >2000 mg/kg, Dermal (Rabbit)

Dipotassium Peroxodisulphate 802 mg/kg, Oral (Rat), >10000 mg/kg,

Dermal (Rabbit)

Sodium Carbonate 4090 mg/kg, Oral (Rat), 2210 mg/kg, Dermal

(Mouse).

LC 50 of Material (Specify Species and Routes): Pentopotassium Bis(Peroxymonosulphate)Bis(Sulphate) >5 mg/l,

Inhalation 4 h (Rat)

Exposure (Limits): Pentopotassium Bis(Peroxymonosulphate)Bis(Sulphate), AEL\* (Dupont): 1mg/m3, 15 minute

TWA, Dipotassium Peroxodisulphate, TLV (ACGIH): 0.1 mg/m3, TWA as persulphate.

**Irritancy of Material** Eye, skin and respiratory tract irritant.

Sensitization of Material None known
Synergistic Materials None known

Carcinogenicity, Mutagenicity, Reproductive Effects, Teratogenicity: None known

#### **SECTION 12**

# **ECOLOGICAL INFORMATION**

#### **Ecotoxicity**

Pentopotassium Bis(Peroxymonosulphate)Bis(Sulphate) – 96 h LC50 Cyprinodon Variegatus (sheepshead minnow):

1.09 mg/l

- 72 h ERC50 Algae: 1mg/l

- 48 h EC50 Daphnia: 3.5 mg/l

Dipotassium Peroxodisulphate - 48 h LC50 Daphnia Magna (water flea): 92 mg/l

### **Environmental Fate**

**Biodegradability:** Readily biodegradable **Bioaccumulative Potential:** Not available

Mobility In Soil: Not available

## **SECTION 13**

#### **DISPOSAL CONSIDERATIONS**

**Waste Disposal:** Dispose of material in accordance with federal, provincial and local regulations.

Safe Handling of Residues: Flush residues with lots of water.

**Disposal of Packaging:** Dispose of containers in accordance with federal, provincial and local regulations.

## **SECTION 14**

### TRANSPORTATION INFORMATION

#### **CANADIAN TDG ACT SHIPPING DESCRIPTION:**

Proper shipping name: Not regulated
Class: Not applicable
Packing group: Not applicable
UN: Not applicable

#### **US DOT CLASSIFICATION (49CFR 172.101, 172.102)**

Proper shipping name: Not regulated

Class: Not applicable

Packing group: Not applicable
UN: Not applicable

SECTION 15 REGULATORY INFORMATION

**CANADA** 

WHMIS: D2B

CPR Compliance This product has been classified in accordance with the hazard criteria of the CPR and the MSDS

contains all the information required by the CPR

**USA** Not available

**INTERNATIONAL** Not available

SECTION 16 OTHER INFORMATION

Prepared By (Group, Department, Etc.): Quality Control Telephone: (905) 332-6626

Preparation Date: January 1, 1996
Date Revised: December 1, 2018

**Additional Notes Or References:** 

While Capo Industries Ltd. believes that the data contained herein are factual and the opinions expressed are those of qualified experts regarding the results of the tests conducted, the data are not to be taken as a warranty or representation for which Capo Industries Ltd. assumes legal responsibility. They are offered solely for your consideration and verification. Any use of this data and information must be determined by the user to be in accordance with applicable Federal, Provincial and local laws and regulations.